


Accessories Catalog Heating solutions

For Cars, Trucks, Light-duty Vehicles, Special Vehicles, Rail and Recreational Vehicles



2016/2017



Table of Contents

Dear Customers, dear Webasto Partners,

this Webasto catalog will give you an overview of the complete range of accessories for our current heating systems. On the following pages, you will find everything that you need for installing our heating systems, according to the type of vehicle, location and use. The mounting parts, test equipment and tools shown here are clearly laid out to enable you to find and order what you need quickly.

Together with the second accessory catalog for air-conditioning solutions and the product catalogue (showing the basic scope of delivery, installation kits and control units), this catalog will provide a comprehensive source of information so that you can work efficiently with our heating and cooling units.

We wish you great success with our products,

Your Webasto Team

Combustion Air System

8

Exhaust System

9

Fuel System

13

Hot Air System

19

Water System

26

Mounting Parts

32

Electrical Accessories

37

Test Equipment

43

Special Tools

44

Combustion Air System

Exhaust System

Fuel System

Hot Air System

Water System

Mounting Parts

Electrical Accessories

Test Equipment


Special Tools

Application of an air heating system

Webasto air heating systems can be ordered in diverse scopes of delivery. The standard components are combined into a basic scope of delivery and an installation kit. You may need additional application material, depending on the requirements for use and the installation location. You can find these in our extensive accessories program.

Our heating devices come with installation and operating instructions. For further information (e.g. spare parts lists), go to our dealer portal.

For information on our air heaters, see the separate product catalog entitled Heating and Air-Conditioning Solutions.



Advantages of air heating systems


- Low procurement and installation costs
- No intervention in the original vehicle system
- Short heating times
- Individual configuration of the air distribution
- Circulating air or fresh air mode

Application of a water heating system

Webasto water heating systems can be ordered in diverse scopes of delivery. The standard components are combined into a basic scope of delivery and an installation kit. You may need additional application material, depending on the desired application and the installation location. You can find these in our extensive accessories program.

Our heating devices come with installation and operating instructions. For further information (e.g. spare parts lists) go to our dealer portal.

For information on our water heaters, see the separate product catalog entitled Heating and Air-Conditioning Solutions.



Integration into the water circuit

Depending on the vehicle type, choose the required application material such as hoses, valves or thermostats from the standard installation kit or our accessories portfolio.



Electrical connection
A standardized wiring harness simplifies the connection of heater, control element and vehicle. It also offers a diagnostic possibility.

Control element
Choose from our portfolio of different control elements, such as a simple switch, the Thermo Call or a remote control.



Exhaust system
The resulting exhaust gases have to be discharged via exhaust pipes.



Water heater
Heaters are available with heating capacities from 4 to 40 kW.



Coolant pump
Choose the required coolant pump from our range of accessories. For the Thermo Pro 50 Eco, Thermo Pro 90 and Thermo Top Evo heaters, a standard pump is included in the basic scopes of delivery.



Fuel supply
A connection has to be made to the fuel tank. A fuel pump forms part of the basic scopes of delivery.



Combustion air intake
The required combustion air has to be drawn in selectively from a dry area.

Advantages of water heating systems

- Engine preheating and/or cabin heating
- Longer service life of the engine thanks to reduction in cold starts
- Continued use of existing vehicle components
- Use of the engine heat to bridge short standstill times without exhaust emissions








Combustion Air System

Exhaust System








	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	Order number
Flexible pipe									
Di = 18, L = 1,000, APGA-A					■ ■				1319593A
Di = 22, L = 20,000, PAK	■								1321565A
Di = 22, L = 10,000, PAK	■								1321566A
Di = 25, L = 20,000, PAK	■								1321586A
Di = 25, L = 5,000, PAK	■								1321587A
Di = 25, L = 10,000, PAK	■								1321588A
Di = 30, L = 20,000, PAK					■				1321542A
Di = 30, L = 5,000, PAK					■				1321557A
Di = 30, L = 10,000, PAK					■				1321558A
Di = 30, L = 20,000, KAK					■				1321509A
Di = 30, L = 5,000, KAK					■				1321510A
Intake muffler									
Da = 52, L = 97, with mounting base and installation instructions	■	■							98141A
Intake muffler pipe									
Di = 22, L = 800, PAK, without penetration protection cap	■								83174A
Di = 25, L = 650, AK / PAKL, with penetration protection cap	■								1319924A
Di = 30, L = 1,160, PAK / PAKL, without penetration protection cap				■					1319607A
Flexible exhaust pipe									
L = 3,000									1321494A
L = 5,000									1321495A
L = 10,000									1321496A
L = 20,000									1321493A
Di = 30, Da = 34, stainless steel									
Air intake silencer									
D1a = 24, D2a = 52, L = 138, 138, plastic, complete with 300 mm flexible pipe, D1a = 24 mm		■							9025956A
Protection cap									
Di = 27, 10 pieces	■								1320257A
Di = 36	■								1321067A
Di = 39, 10 pieces				■					1320258A
Plastic									
Combustion air elbow									
Di = 22	■								1320144A
Di = 25	■								1320278A
Plastic									

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	Order number
Flexible exhaust pipe, two-ply									
Di = 22, Da = 26, L = 1,000 with end cap	■								1322414A
Di = 24, Da = 28, L = 10,000		■							1321523A
Di = 38, Da = 41, L = 5,000			■						1321540A
Di = 38, Da = 41, L = 10,000			■						1321541A
Di = 38, Da = 41, L = 20,000			■						1321539A
Di = 70, Da = 73.6, L = 5,000			■						1321568A
Di = 70, Da = 73.6, L = 10,000			■						1321567A
Stainless steel									
Protection cap									
Di = 26		■							1320109A
Di = 28			■						1320217A
Di = 42, 10 pieces					■				1321753A
L = 17, stainless steel, for flexible exhaust pipe									
Heat protection hose									
L = 1,850	■	■	■	■	■	■	■	■	1320830A
Di = 70, Fiberglass									
Flexible heat protection pipe									
Di = 28, Da = 32.5, GA-A (aluminium foil and aluminium coated glass fabric)	■								1321601A
Di = 45, Da = 48.5, GA2-A (aluminium and aluminium coated glass fabric)	■	■	■	■	■	■	■	■	1321602C
L = 10,000									
Flexible heat protection pipe									
Di = 28, Da = 38, L = 324, with cover, non-flammable, interior resistant to temperatures up to 500 °C	■	■	■	■	■				1319670A
Insulating tape									
L = 50,000, W = 60, E-glass, white, usage temperature 450 °C, 550 °C for short periods, 2 mm thick	■	■	■	■	■	■	■	■	1320357A

Exhaust System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	Order number
	<input checked="" type="checkbox"/>				1320910A				
					<input checked="" type="checkbox"/>				1321823A
	<input checked="" type="checkbox"/>				1320841A				
	<input checked="" type="checkbox"/>				1320895A				
	<input checked="" type="checkbox"/>								1320372A
									1320840A
	<input checked="" type="checkbox"/>			1320848A					
	<input checked="" type="checkbox"/>			1321397A					
					<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			1320436A

Exhaust System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	Order number
									1319441A
									1320378A
									1320383A
									1320117A
									1319937A
									1319935A
									1320959A
									1320382A
									92621A




Exhaust System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
Spacer Di = 25, Da = 48, W = 21, for flexible pipe	■	■	■	■	■					1317843A
End fixing kit for 24 mm flexible exhaust pipe, for fastening the exhaust end piece to the bottom of the vehicle		■								1317567A


Fuel System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number	
Fuel tank L = 405, W = 94, plastic PE-LD, 12 liters	■	■	■	■	■	■	■	■	■	1322707A	
Fuel tank installation kit Steel zinc coated, for 12-liter tank 9024224B	■	■	■	■	■	■	■	■	■	9025761A	
Fuel tank L = 405, W = 200, 24 l, plastic PE-LD, with assembly kit	■	■	■	■	■	■	■	■	■	1322531A	
Tank extracting device, riser pipe Di = 2.6, Da = 5, L = 650, steel zinc coated, 90° extractor connection piece, only for installation in metal tanks	■	■	■	■	■	■	■	■	■	1320399A	
Tank extracting device, riser pipe Da = 6, L = 630, galvanized steel, with return, 90° extractor connection piece, only for installation in metal tanks									■	■	1322830B
Tank extracting device, riser pipe Di = 2.4, Da = 4.2, L = 440, thread M6, stainless steel, extractor connection piece, 39 mm long, vertical, for mounting in tank fitting, suitable for plastic tank and metal tank	■	■	■	■	■	■	■	■	■	1300494D	
Tank extracting device Di = 2.4, Da = 4.2, L = 26, M6 thread, steel zinc coated, extractor connection piece angled at 90°, for mounting in tank fitting, suitable for plastic tank and metal tank, short riser pipe	■	■	■	■	■	■	■	■	■	1322827A	

Fuel System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	Order number
Tank extracting device 	<input checked="" type="checkbox"/>			9008021A					
Tank extracting device L = 500 	<input checked="" type="checkbox"/>			1320836A					
L = 750	<input checked="" type="checkbox"/>			1321824A					
Fuel extractor, T-piece H = 26, 6 x 5 x 6 	<input checked="" type="checkbox"/>			1319300A					
H = 28, 8 x 5 x 8 L = 50, copper	<input checked="" type="checkbox"/>			1319301B					
Fuel extractor, T-piece H = 36, 6 x 5 x 6 	<input checked="" type="checkbox"/>			1321002A					
H = 38, 8 x 5 x 8 H = 39, 10 x 5 x 10 H = 40, 12 x 5 x 12 L = 50, plastic	<input checked="" type="checkbox"/>			1320192A					
Fuel extractor, T-piece H = 33, 5 x 5 x 5 H = 36, 6 x 5 x 6 H = 35, 8 x 5 x 8 H = 37, 10 x 5 x 10 H = 37, 12 x 5 x 12 L = 50, steel zinc coated	<input checked="" type="checkbox"/>			1320572A					
Fuel extractor, T-piece 15 x 6 x 15, steel zinc coated	<input checked="" type="checkbox"/>			1320573A					
H-shaped fuel extractor H = 28, 6 x 5 x 6 H = 28, 8 x 5 x 8 H = 28, 10 x 5 x 10 H = 39, 12 x 5 x 12 L = 50, steel zinc coated, extraction at 90° elbow	<input checked="" type="checkbox"/>			1320804A					
									1320805A

Fuel System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	Order number
Holder with housing for interchangeable filter 									1319291A
Interchangeable filter For holder 1319291A	<input checked="" type="checkbox"/>			1320031A					
Interchangeable RME filter For holder 1320017A	<input checked="" type="checkbox"/>			1320018A					
KKC85/1 holder For interchangeable filters	<input checked="" type="checkbox"/>			1319823A					
KKC84/1 holder with heater For interchangeable filters	<input checked="" type="checkbox"/>			1320016A					
Interchangeable filter KC 74-089 For holders 1319823A and 1320016A	<input checked="" type="checkbox"/>			1320015A					
Screw fittings kit Steel zinc coated, for soldered joints, Contents: double connection piece, union nuts, ring seals and sealing cone	<input checked="" type="checkbox"/>			1320539A					
Electric valve 24 V, M14 x 1.5 connection thread, for fuel line, Ambient temperature -40 °C to +80 °C, for 6.3 mm tab connectors	<input checked="" type="checkbox"/>			1319443A					
Banjo bolt L = 25, M10 x 1 thread, steel zinc coated, 2 pieces	<input checked="" type="checkbox"/>			1320999A					
Banjo D1a = 5, D2i = 10 D1a = 6, D2i = 12 D1a = 6, D2i = 10 L = 10, steel zinc coated	<input checked="" type="checkbox"/>			1320747A					
									1319355A
									1321062A





Fuel System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	Order number
Hose sealing cone									
Da = 5, L = 30						■	■	■	1319305A
Da = 6, L = 30						■	■	■	1319702A
Da = 8, L = 32, 10 pieces						■	■	■	1320233A
Union nut									
SW = 19, M14 x 1.5 thread, 10 pieces						■	■	■	1320243A
Fuel filter kit									
Da = 5, plastic transparent, with hose clips and connecting hoses	■	■	■	■	■	■			1318361A
Reducer pipe									
D = 8 - 6, brass						■	■	■	1319590A
Connecting pipe									
Da = 8, L = 56, plastic, VOME-resistant, 10 pieces						■	■	■	1321079A
Flexible heat protection pipe									
Di = 14.5, Da = 16.5, L = 5,000	■	■	■	■	■	■			1321585B
Di = 14.5, Da = 16.5, L = 20,000	■	■	■	■	■	■			1321584B
Di = 28, Da = 31, L = 2,000	■	■	■	■	■	■			1322650A
Di = 28, Da = 31, L = 20,000	■	■	■	■	■	■			1317127A
GA-A (aluminium foil and aluminium coated glass fabric)									
Fuel line									
Di = 1.5, L = 1,500, black	■	■	■	■	■	■			9030545A
Di = 1.5, L = 3,000, black	■	■	■	■	■	■			9030543A
Di = 1.5, L = 6,000, black	■	■	■	■	■	■			9030542A
Di = 1.5, L = 8,000, black	■	■	■	■	■	■			9030538A
Di = 1.5, L = 11,000, black	■	■	■	■	■	■			9030540A
Di = 1.5, L = 100,000, black	■	■	■	■	■	■			9030532A
Di = 3, L = 12,000, blue, for Thermo Pro 90 at a pressure line length of 5 m, with white imprint	■	■	■	■	■	■			9028520A
Da = 5, PA12 ETFE									








Fuel System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	Order number
Fuel hose									
Di = 4.5, Da = 9, L = 5,000	■	■	■	■	■	■			1321500A
Di = 4.5, Da = 9, L = 10,000	■	■	■	■	■	■			1321502A
Di = 5, Da = 10, L = 5,000	■	■	■	■	■	■			1321559A
Di = 5, Da = 10, L = 10,000	■	■	■	■	■	■			1321560A
Di = 6, Da = 11, L = 5,000									1321563A
Di = 6, Da = 11, L = 25,000									1321564A
Di = 8, Da = 13, L = 20,000, DIN 73379, with textile ply									1321688B
Fuel hose									
L = 5,000, VOME-resistant	■	■	■	■	■	■			1321612B
L = 10,000, VOME-resistant	■	■	■	■	■	■			1321613A
L = 50, 20 pieces	■	■	■	■	■	■			9023450A
Di = 4.5, Da = 10.5									
Molded fuel hose									
90°	■	■	■	■	■	■			9023160A
90°, VOME-resistant	■	■	■	■	■	■			9023384A
Di = 4.5, Da = 10.5, 10 pieces									
Molded hose									
Di1 = 7.5, Di2 = 4.5, 90°, with reduction	■	■	■	■	■	■			1319718A
Molded fuel hose									
Di1 = 4.5, Di2 = 3.5, 90°, RME-resistant, with reduction	■	■	■	■	■	■			1319677A
Riser pipe									
Di = 3, Da = 6, L = 322, plastic	■	■	■	■	■	■			1320413A
Fuel hose									
Di = 3.5, Da = 4.5, L = 50, RME-resistant, with reduction	■	■	■	■	■	■			1320862A
Molded hose									
Di = 4.5, Da = 10.5, 180°	■	■	■	■	■	■			1319686A






Fuel System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	Order number
	Fuel hose kit Di = 4.5, Da = 10, L = 50, VOME-resistant, 5 x hoses, 10 x hose clips	■ ■ ■ ■ ■ ■							1322837A
	Fuel pump hanger kit For dosing pump DP2 and DP30, also for fastening to stud bolts belonging to the vehicle	■ ■ ■ ■ ■ ■							92296A
	Fuel pump holder Solid rubber, very quiet mounting, bag of 3 pieces	■ ■ ■ ■ ■ ■							9023386A
	Support sleeve Da = 6, L = 15, brass, 10 pieces Da = 7, L = 36 Da = 8, L = 15 For reinforcing plastic pipes	■ ■ ■ ■ ■ ■							1321071A 1320164A 1320198A
	Mini Jacket fuel pump protector Protection device for fuel pumps with mufflers, required by ISO 7840 if the fuel system is installed in engine rooms	■ ■ ■ ■ ■ ■							1319522A
	Metal fuel line kit for boats Di = 1.5, Da = 5, L = 5,000, EN ISO 7840 with screw fasteners, hoses and clips	■ ■ ■ ■ ■ ■							66958B
	Fuel hose for boats Di = 5, Da = 15, L = 50	■ ■ ■ ■ ■ ■							1320857A
	Fuel line for boats Di = 1.5, Da = 5, L = 5,000, stainless steel	■ ■ ■ ■ ■ ■							1320860A

Hot Air System





	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	DualTop Evo	Order number
	Distributor Y-unit Da = 55 Da = 80 Plastic, black	■ ■								1319416A 1319212A
	Distributor Y-unit D1a = 80, D2a = 55, to be used in the secondary flow only D1a = 60, D2a = 60 D1a = 90, D2a = 80 D1a = 90, D2a = 90 D1a = 80, D2a = 60 Plastic, black	■ ■ ■ ■ ■ ■								1320753A 1320814A 1320375A 1320470A 1320471A
	T-unit Da = 60 Da = 90 L = 110, 90°, plastic, black	■ ■ ■ ■ ■ ■								1320474A 1320473A
	T-unit Di1 = 90, Di2 = 60, 90°, plastic, black, with thread	■ ■ ■ ■ ■ ■								1320476A
	End Cap Da = 60 Da = 90 Plastic, black	■ ■ ■ ■ ■ ■								1320477A 1319870A
	Junction fitting D1a = 60, L = 145 D1a = 90, L = 146 D2a = 60, 45°, plastic, black	■ ■ ■ ■ ■ ■								1320472A 1320707A
	Junction fitting D1a = 80, D2a = 80, D3a = 80, L = 370, 45°, steel corrosion-resistant	■ ■ ■ ■ ■ ■								1319315A

Hot Air System





		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Dial Top Evo	Order numb
	Louvre plate L = 190, H = 170, aluminium	■	■							■ ■		1319269A
	Screen Di = 60, plastic, black, for intake and outlet openings of heater		■									1320163A
	Protective screen Di = 60, rubber, for heater intake			■								1320173A
	Screen (anti-ingress) Di = 80, Da = 112, steel chromed				■							1319308A
	Reducer for air hose D1a = 60, D2a = 55, L = 35 D1a = 90, D2a = 80, L = 45 D1a = 80, D2a = 55, L = 82 Plastic, black, for flexible pipe	■		■						■		1320127A 1320185A 1319477A
	Reducer pipe D1a = 80, D2a = 60, L = 190, steel corrosion-resistant, for flexible pipe		■									1319312A
	Adapter for heater connection D1a = 75, D2a = 60 D1a = 90, D2a = 80 L = 40, plastic, black	■		■						■		1321005A 1320186A

Hot Air System

Hot Air System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	Dual Top Evo	Order number
	Console For mounting flexible pipes with corresponding hose clip	■ ■					■		■	1321044A
	Double fitting Da = 60, L = 50 Da = 80, L = 75 Da = 90, L = 50 Plastic, black, for connecting flexible pipes	■ ■				■	■	■	■	1320469A
	Reduction adapter Da = 80 Da = 60 Di = 90, plastic, black, for connecting flexible pipes		■			■	■	■	■	1320925A
	Elbow Da = 90, 90°, plastic, black	■				■	■	■	■	1320706A
	Elbow Di2 = 80.5, Da1 = 79, L1 = 115, L2 = 120 Di2 = 102.5, Da1 = 99, L1 = 142, L2 = 142 90°, steel corrosion-resistant	■			■	■	■	■	■	1319272A
	Wall feed-through Da = 60 Da = 90 Plastic, black	■ ■				■	■	■	■	1320923A
	Adaptor ring Di = 55, Da = 60 Di = 70, Da = 80, for outlet 1319946A W = 17, plastic, black	■ ■				■	■	■	■	1320224A
	Air Outlet Da = 60, black Da = 60, white Da = 60, grey D = 90, black Da = 90, white Da = 90, grey Plastic, lockable, bag with wall feed through	■ ■				■	■	■	■	1320206A

Hot Air System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	Dual Top Evo	Order number
	Air Outlet Da = 60, black Da = 60, white Da = 60, grey Da = 90, black Da = 90, white Da = 90, grey Plastic, axiale Durchströmung, bag with wall feed through	■ ■				■	■	■	■	1320934A
	Outlet D1a = 60, D2a = 92, L = 65, plastic, black, axial flow, with bushing	■ ■				■	■	■	■	1322634A
	Air Outlet D1a = 55, D2a = 87 D1a = 80, D2a = 110 L = 65, 90°, plastic, black, insert grid, straight, rotating	■ ■				■	■	■	■	101625
	Air outlet Da = 60, black Da = 60, white Da = 60, grey Da = 60, brown Da = 90, black Da = 90, white Da = 90, grey 45°, plastic, through flow with bushing	■ ■				■	■	■	■	1320204A
	Air outlet D1a = 90, D2a = 120, L = 65, 45°, plastic, black, through flow with bushing	■ ■				■	■	■	■	1320956A
	Air outlet D1a = 55, D2a = 87 D1a = 80, D2a = 110 L = 65, 45°, plastic, black, through flow, rotatable, with bushing	■ ■				■	■	■	■	107836

Hot Air System








	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number
Air outlet											
D1a = 60, D2a = 92	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>					1322405A
D1a = 80, D2a = 120		<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>					1319327A
Plastic, black, rotatable, with bushing, with ball-type cover											
Air outlet											
D1a = 55	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>					1320812A
D1a = 70, use for secondary flow only		<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>					1319946A
D2a = 100, L = 65, plastic, black, closable, with bushing											
Union nut for outlet											
Da = 60	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>					1320922A
Da = 90		<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>					1320468A
L = 60, plastic, black											
Wall pipe											
D1a = 87, D2a = 55	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>					1320063A
D1a = 110, D2a = 80		<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>					1319471A
L = 73, plastic, black											
Demist nozzle											
Da = 55, steel corrosion-resistant	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>					1319470A
Air ducting silencer											
Di = 90, L = 600, aluminium/plastic	<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>					1321734A
Distributor											
Da = 55, L = 95	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>					1319224A
Da = 80, L = 124		<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>					1319214A
Plastic, black, with remote control flap valve											

Hot Air System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number
Control cable											
L = 850	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>									1320785A
L = 1,500		<input checked="" type="checkbox"/>									1320786A
For Distributor 1319224A and 1319214A, with grip and outer sleeve											
Clamp											
For Bowden Cable 1320785A and 1320786A	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>									1319688A
Distributor											
Di = 60	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>									1320352A
Di = 90		<input checked="" type="checkbox"/>									1320926A
Plastic, black, with control butterfly valve											
Control device for distributor											
L = 2,000, for Distributor 1320352A and 1320926A, with control butterfly valve	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>									1319868A
Rubber bellow											
											9018647C
Dual Top air intake cover											
D = 60											1314904A

Water System

Water System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Molded hose Di = 15, Da = 25, 90°, silicone										1319717A
	Molded hose Di = 20, Da = 27, L1 = 190, L2 = 120, L3 = 70, 180°										1320988A
	Molded hose Da = 47, D1i = 38, D2i = 32, L1 = 90, L2 = 70, 90°, silicone, with reduction										1319827A
	Molded hose D1i = 35, D1a = 44, D2i = 38, D2a = 47, L1 = 80, L2 = 80, 90°, silicone, with reduction										1319679A
	Molded hose Di = 20, Da = 27, L1 = 59, L2 = 54, 90°, with reduction										1319673A
	Molded hose Di = 20, Da = 27, L1 = 64, L2 = 88, W = 47, 180°										1320913A
	Molded hose Di = 18, Da = 25, r = 25, L1 = 18, L2 = 18 Di = 20, Da = 27, r = 23.5, L1 = 88, L2 = 64 180°										1319401A 1319623A

Water System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	Order number
Molded hose									
Di = 15, L1 = 580, L2 = 17, H = 75	■	■			■				1320790A
Di = 18, L1 = 580	■	■	■	■	■	■			1319421A
Di = 18, L1 = 1100, L2 = 17, H = 75 Da = 25, 180°	■	■	■	■	■	■			1322496A
Molded hose									
Di = 18, Da = 25, L = 110	■	■	■	■	■	■			1322493A
Di = 20, Da = 27, L = 70 180°	■	■	■	■	■	■			1321031A
Molded hose									
Di = 18, Da = 25, L = 2,200	■	■	■	■	■	■			1319455A
Di = 18, Da = 25, L = 3,000	■	■	■	■	■	■			1320783A
Di = 20, Da = 27, L = 2,200 360°	■	■	■	■	■	■			1319268A
Molded hose									
Di = 20, Da = 29, L = 2,230, 360°, with increased wall thickness	■	■	■	■	■	■			1319631A
Molded hose									
Di = 18, Da = 25, r = 30, L1 = 95, L2 = 25, L3 = 20	■	■	■	■	■	■			1320758A
Molded hose									
Di = 18, Da = 25, L1 = 73, L2 = 58	■	■	■	■	■	■			1319419A
Molded hose									
D1i = 18, D1a = 25, D2i = 15, D2a = 22, L1 = 62, L2 = 32, 45°, with reduction	■	■	■	■	■	■			1320871A
Molded hose									
D1i = 20, D1a = 28, D2i = 20, D2a = 28, L1 = 110, L2 = 60, L3 = 65, 180°	■	■	■	■	■	■			1320156A

Water System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	Order number
Molded hose									
D1i = 15, D1a = 22, D2i = 18, D2a = 25, with reduction	■	■	■	■	■	■	■	■	1319402A
Connecting pipe									
D = 15, L = 75, brass	■	■	■	■	■	■	■	■	1319279A
Connecting pipe									
D1a = 17, D2a = 20, plastic, black	■	■	■	■	■	■	■	■	1320143A
D1a = 18, D2a = 22, plastic, black	■	■	■	■	■	■	■	■	1320155A
D1a = 20, D2a = 22, plastic, black	■	■	■	■	■	■	■	■	1319594A
D1a = 20, D2a = 14, aluminium	■	■	■	■	■	■	■	■	1319722A
L = 63									
T-piece									
D1a = 15, D2a = 15, steel corrosion-resistant	■	■	■	■	■	■	■	■	1319289A
D1a = 18, D2a = 15, steel corrosion-resistant	■	■	■	■	■	■	■	■	1320532A
D1a = 18, D2a = 18, plastic, black	■	■	■	■	■	■	■	■	1321001A
D1a = 20, D2a = 10, steel corrosion-resistant	■	■	■	■	■	■	■	■	1319846A
D1a = 20, D2a = 15, steel corrosion-resistant	■	■	■	■	■	■	■	■	1319290A
D1a = 20, D2a = 20, brass	■	■	■	■	■	■	■	■	1319602A
L = 75									
T-piece									
D1a = 20, D2a = 20, steel corrosion-resistant, with restrictor, restrictor diameter 5.8 mm	■	■	■	■	■	■	■	■	1319817A
T-piece									
Da = 18, L = 75, steel corrosion-resistant, with restrictor, restrictor diameter 4 mm	■	■	■	■	■	■	■	■	1319800A
Connecting piece									
Da = 18, L = 75, steel corrosion-resistant	■	■	■	■	■	■	■	■	1319266A
Connecting pipe									
Da = 38, L = 100, M22 x 1.5 thread connection, steel corrosion-resistant, for thermostat								■	1319286A








Water System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	Order number
Connecting pipe									
Da = 15	■	■	■	■	■	■	■	■	1319263A
Da = 18	■	■	■	■	■	■	■	■	1319519A
L = 65, M4 thread connection, steel corrosion-resistant, for thermostat									
Shutoff valve						■	■		1319931A
Da = 38, L = 200, W = 85.5, H = 131, plastic PA66, operating pressure -0.5 to 4 bar, fluid temperature -30 to 110 °C, weight 0.5 kg, with filter									
Filter insert							■	■	1319710A
Da = 38, for shutoff valve with filter 1319931A									
Electric valve							■	■	1319981A
Da = 20, L = 106, H = 100, 12 V, metal / plastic, 2/2-way, normally open, operating temperature -40 to 85 °C	■	■	■	■	■	■	■	■	
Electric valve							■	■	9014606A
Da = 18, L = 84, W = 55, H = 101, 12 V, metal / plastic, plastic casing, 3/2-way, open without power, bag with electrical mounting parts	■	■	■	■	■	■	■	■	
Connecting pipe									
Da = 15	■	■	■	■	■	■	■	■	1319221A
Da = 18	■	■	■	■	■	■	■	■	1319219A
Da = 20	■	■	■	■	■	■	■	■	1320989A
Steel corrosion-resistant, with bleeder valve									
Check valve									
Da = 15, L = 104	■	■	■	■	■	■	■	■	1320240A
Da = 15, L = 104	■	■	■	■	■	■	■	■	1320239A
Da = 18, L = 90	■	■	■	■	■	■	■	■	1319250A
Da = 18, L = 100	■	■	■	■	■	■	■	■	1319484A
Da = 20, L = 120	■	■	■	■	■	■	■	■	1319554A
Plastic, black, without leak hole									








Water System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	Order number
Check valve									
Da = 18, L = 104, plastic, black, without leak hole	■	■	■	■	■	■	■	■	1320563A
Check valve									
D1a = 18, D2a = 18, L = 146, plastic, black, with leak hole	■	■	■	■	■	■	■	■	1319486A
D1a = 20, D2a = 20, L = 162, brass, with leak hole	■	■	■	■	■	■	■	■	1319595A
D1a = 18, D2a = 18, L = 146, plastic, black, without leak hole H = 42	■	■	■	■	■	■	■	■	1319485A
Check valve									
D1a = 18, D2a = 18, L = 82, H = 82, plastic, black, with bypass, without leak hole	■	■	■	■	■	■	■	■	1319255A
Thermostatic valve									
Da = 18	■	■	■	■	■	■	■	■	1319986A
Da = 20	■	■	■	■	■	■	■	■	1320253A
L = 108, H = 70, brass / steel coated, with leak hole, starts to open at 59 °C									
Thermostatic valve									
Da = 20, L = 112, brass / steel coated, without leak hole, starts to open at 70 °C	■	■	■	■	■	■	■	■	1320033A
Combination valve									
Da = 18, brass / steel coated, with leak hole, starts to open at 40 °C	■	■	■	■	■	■	■	■	1319650A

Mounting Parts

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>								9005942B
	<input checked="" type="checkbox"/>									86032A
	<input checked="" type="checkbox"/>									1311609B
	Steel	<input checked="" type="checkbox"/>								9016392B
	Steel	<input checked="" type="checkbox"/>								
	With mounting parts and brackets									
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>								1319936A
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>								1320995A
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>								1321444A
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							1320500A
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							1320495A
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							1320494A

Mounting Parts

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
										1322832A
										9007918A
	Steel zinc coated, 10 pieces	<input checked="" type="checkbox"/>								
	Stainless steel	<input checked="" type="checkbox"/>	1319818A							
	L = 100, W = 25									
										1320232A
	Steel zinc coated	<input checked="" type="checkbox"/>								
	Stainless steel	<input checked="" type="checkbox"/>	1320264A							
	L = 46, W = 25, D = 26, 10 pieces									
										9011669A
	Da = 6, L = 22, SW = 10, steel zinc coated, bag of 10 pieces	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
										9006446A
	L = 16	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
	L = 31	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							9009025A
	M6, steel zinc coated, bag of 10 pieces									
										9011635A
	D1a = 13, D2a = 9, D1 = 13, D2 = 9, L = 15, M6 x 15.5, aluminium, bag of 10 pieces	<input checked="" type="checkbox"/>								
										9011659A
	Da = 12.5, L = 0, M6, steel corrosion-resistant, bag of 10 pieces	<input checked="" type="checkbox"/>								
										1320270A
	L = 53, M6 thread, not suitable for fastening heaters, 5 pieces	<input checked="" type="checkbox"/>								

Mounting Parts

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	Order number
Anti-vibration mount									
Da = M6 thread	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								9023020A
Da = M8 thread	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1319553A
L = 34, not suitable for fastening heaters, 5 pieces									
Spacer nut									
L = 15	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320256A
L = 20	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320241A
L = 30	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320083A
L = 40	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1319517A
SW = 17, Full-length M6 thread, steel corrosion-resistant									
Spacer bushing									
Di = 7, Da = 18, L = 8									1320091A
Di = 8, Da = 20, L = 5	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320498A
Di = 8, Da = 20, L = 8	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320499A
Di = 8, Da = 20, L = 10	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320496A
Di = 8, Da = 20, L = 15	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320090A
Di = 8, Da = 20, L = 20	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320088A
Di = 8, Da = 20, L = 30	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320089A
Di = 8, Da = 20, L = 40	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1319533A
Di = 9, Da = 25, L = 14	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320092A
Aluminium									
Pipe clip									
Di = 18, W = 15, steel zinc coated, 6.5 mm fastening hole	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320042A
Di = 25, W = 15, stainless steel, 6.5 mm fastening hole, bag of 10 pieces	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								9023007A
Di = 28, W = 15, steel zinc coated, 6.5 mm fastening hole, 5 pieces	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320277A
Di = 33, W = 15, W = 15, stainless steel, 6.5 mm fastening hole	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320064A
Di = 42, W = 12, W = 12, stainless steel, 5.2 mm fastening hole	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1319693A
Di = 42, W = 15, W = 15, stainless steel, 6.5 mm fastening hole, 5 pieces	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320276A
Di = 52, W = 15, W = 15, steel zinc coated, 6.5 mm fastening hole, 5 pieces	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320265A
Pipe clip									
Di = 5, W = 12, stainless steel / rubber, rubber-coated pipe clip, 5.2 mm fastening hole	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320195A
Di = 29, W = 15, steel zinc coated / rubber, rubber-coated pipe clip, fastening hole 6.4 mm, 5 pieces	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320235A
Di = 34, W = 15, steel zinc coated / rubber, rubber-coated pipe clip, fastening hole 6.4 mm	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1319701A
Di = 34, W = 20, steel zinc coated / rubber, 8.4 mm fastening hole, 10 pieces	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320236A
Di = 35, W = 20, steel zinc coated / rubber, rubber-coated pipe clip, 8.4 mm fastening hole, bag with 5 pieces	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								9022835A

Mounting Parts

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	Order number
Pipe clamp									
Di = 24 ... 26, with carriage bolt	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320165A
Di = 26 ... 28, nut, welded	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320220A
W = 16, M6 thread, stainless steel, for flexible exhaust pipe									
Pipe clamp									
Di = 39 ... 42, W = 13.5, with screw	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320194A
Di = 24 ... 27, W = 10.4, with screw	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320815A
Di = 30, Da = 33, with carriage bolt									1320203A
M8 thread, steel corrosion-resistant, for flexible exhaust pipe									
Cailleau hose clip									
Di = 9.5 ... 11	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								9011661A
Di = 10.5 ... 11.5	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								9011656A
W = 6, stainless steel, mounting with special tool, 10 pieces									
Hose clip									
Di = 8, steel corrosion-resistant, 20 pieces	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320244A
Di = 9, steel corrosion-resistant	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320492A
Di = 10, steel corrosion-resistant, 50 pieces	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								9023037A
Di = 12, steel corrosion-resistant, 20 pieces	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320246A
Di = 14, steel corrosion-resistant, 20 pieces	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320245A
Di = 14, stainless steel, 10 pieces	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320249A
W = 9, SW = 7, bolt head with hexagon and cross-head slot									
Hose clip									
Di = 16 ... 25, steel corrosion-resistant, 20 pieces	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320248A
Di = 16 ... 27, stainless steel, 10 pieces	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								9015918A
Di = 23 ... 35, stainless steel, 20 pieces	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320271A
Di = 32 ... 50, steel corrosion-resistant, 10 pieces	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1321064A
W = 9, SW = 7, bolt head with hexagon and cross-head slot									
Hose clip									
Di = 40 ... 47, W = 14.3, SW = 8, steel corrosion-resistant	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320158A
Di = 48 ... 55, W = 14.3, SW = 8, steel corrosion-resistant	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320159A
Di = 70 ... 90, W = 14.3, SW = 8, steel corrosion-resistant	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320223A
Di = 72 ... 79, W = 14.3, SW = 8, steel corrosion-resistant	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320160A
Di = 80 ... 87, W = 14.3, SW = 8, steel corrosion-resistant	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320162A
Di = 78 ... 102, W = 12.7, SW = 7, stainless steel	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320817A
Di = 98 ... 120, W = 14.3, SW = 8, steel corrosion-resistant	■ ■ ■ ■ ■ ■ ■ ■ ■ ■								1320161A
Bolt head with hexagon and slot									


Mounting Parts

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	Order number
Spring clip									
Di = 25, light grey	■	■	■	■	■	■	■	■	9009019A
Di = 27, dark grey	■	■	■	■	■	■	■	■	9009018A
Di = 22, black, space-saving clip, E2	■	■	■	■	■	■	■	■	9011662A
Di = 25, black, space-saving clip, E2	■	■	■	■	■	■	■	■	9009022A
Di = 27, black, space-saving clip, E2	■	■	■	■	■	■	■	■	9009023A
Di = 28, black, with stopping component, E1	■	■	■	■	■	■	■	■	9014607A
W = 12, steel corrosion-resistant, bag of 10 pieces									
Dual lock velcro strip									
L = 50	■	■	■	■	■	■	■	■	1320202A
L = 100	■	■	■	■	■	■	■	■	1320708A
W = 25, plastic, black, self-adhesive									
Hose and cable holder									
D1 = 10 – 12, D2 = 19 – 24.5	■	■	■	■	■	■	■	■	9010999A
D1 = 27, D2 = 27, locking	■	■	■	■	■	■	■	■	9010997A
D1 = 22 – 24, D2 = 22 – 24	■	■	■	■	■	■	■	■	9011000A
D1 = 25 – 28, D2 = 21.5 – 24	■	■	■	■	■	■	■	■	9011001A
D1 = 37 – 41, D2 = 21.5 – 24	■	■	■	■	■	■	■	■	9011002A
Plastic, black, bag of 5 pieces									
Rubber ring (anti-chafing device)									
Di = 13.5, Da = 31, L = 15, elastomer, black, 10 pieces	■	■	■	■	■	■	■	■	1321063A
Di = 20.5, Da = 40, L = 20, elastomer, black	■	■	■	■	■	■	■	■	1312785A
Di = 25.5, Da = 45, L = 20, EPDM-50, red	■	■	■	■	■	■	■	■	1312780A
Not permitted for exhaust systems									
Edge protector									
L = 500	■	■	■	■	■	■	■	■	1319778A
L = 700	■	■	■	■	■	■	■	■	1320093A
With wire coil, sheet thickness 1 to 4 mm									
Braided protection hose									
L = 1,500, chafing guard for polyester water hoses	■	■	■	■	■	■	■	■	1301317B
L = 2,000, chafing guard for polyester water hoses	■	■	■	■	■	■	■	■	1322513A
L = 5,000	■	■	■	■	■	■	■	■	1321596B
L = 25,000	■	■	■	■	■	■	■	■	1321597B
Di = 26 ... 30, polyester									
Heat shrinkable hose									
L = 100	■	■	■	■	■	■	■	■	1322452A
L = 5,000	■	■	■	■	■	■	■	■	1321590A
L = 50,000	■	■	■	■	■	■	■	■	1321589A
Di = 38 ... 19, wall thickness 1 mm, shrinkage rate 2:1, operating temperature range -55 °C to +125 °C									





Electrical Accessories

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo S 230/300/350/400	DualTop Evo	Order number
Compartment thermostat										1320587A
L = 75, W = 28, H = 75, plastic, black, for vehicle blower, mechanical (changeover contact)										
Compartment thermostat										1320415A
L = 75, W = 28, H = 75, plastic, black, for vehicle blower, mechanical (changeover contact), with on/off switch										
Compartment thermostat										1320416A
L = 75, W = 28, H = 75, plastic, black, mechanical (changeover contact) with on/off switch and ventilation										
Temperature sensor external										1319842A
Wiring harness length 5 m	■									
Temperature sensor external										93205A
Wiring harness length 5 m, with housing cover	■	■								
Wiring harness length 20 m, with housing cover	■	■								92649B
Temperature sensor external										
Bag external Temperature Sensor Air Top 5 m	■									9030883A
Bag external Temperature Sensor Air Top 2.5 m	■	■								9030881A
Housing cover										1319621A
As replacement when using external temperature sensor, with grommet	■									
Y adapter for wiring harness										1319820A
For retrofitting ThemoCall with Telestart already fitted										
Y adapter for wiring harness										1319873A
Telestart digital timer 1533 connection										








Electrical Accessories

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number
											1320313A
	Fuse holder										1320313A
	1 A, for 1 A blade fuse, for 6.3 mm tab connector, with slot marking in black										
	5 A, for 5 A blade seal, for 6.3 mm tab connector, with slot marking in beige										1320157A
	20 A, for 20 A blade fuse, for 6.3 mm tab connector, with slot marking in yellow										1320151A
	6.3 mm, plastic, black, SAE J1284, watertight										
											1320873A
	Mounting base										1320873A
	Plastic, black, for fuse holders, 1320313A, 1320157A, 1320151A, with screws										
											1301682A
	Additional fuse kit										1301682A
	6.3 mm, plastic, black, for flat fuses SAE J1284, watertight, contents: 1 fuse holder 1320313A with all connection accessories and single-wire seals (without fuses and mounting base)										
											1321809A
	Fuse holder kit										1321809A
	Plastic, black, watertight, replaces triple fuse holder on heater wiring harness, contents: 3 1320313A fuse holders and mounting parts (without fuses and mounting bases)										
											9011645A
	Flat spring contact										9011645A
	0.5 ... 1.5										
	2.0 ... 3.0										9011647A
	4.0 ... 6.0										9009029B
	For fuse holder, watertight, bag of 10 pieces										
											9011626A
	Single-wire seal										9011626A
	Da = 5.4, 0.35 ... 1.00, L = 8, light blue										
	Da = 4.1, 0.5 ... 0.75, L = 9, green										9011955A
	Da = 5.4, 1.5 ... 2.5, L = 8, white, 10 pieces										9011627A
	Da = 5.6, L = 8, red, for MTA-fuse holder										9011631A
	Bag of 20 pieces										
											9023139A
	Blade fuse										9023139A
	15 A, light blue										
	20 A, brown										9023141A
	25 A, white										9023142A
	6.3 mm, bag of 20 pieces										

Electrical Accessories

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number
											1319804A
	Temperature switch										1319804A
	Closes at 2 °C for operating the parking heater as an auxiliary heater										
	5 A, for 5 A blade seal, for 6.3 mm tab connector, with slot marking in beige										1321617A
	20 A, for 20 A blade fuse, for 6.3 mm tab connector, with slot marking in yellow										9030618A
											1319805A
	Holder										1319805A
	For temperature switch, for mounting the temperature switch on the vehicle										
											1322511A
	Temperature sensor										1322511A
	M4 fastening thread, closes at 40 °C										
											9011664A
	Flat spring contact										9011664A
	1.5 ... 2.5, 2.8 mm, with seals and plugs, bag of 10 pieces										
											9011666A
	Micro Quadlok System socket contact										9011666A
	0.75, 2.8 mm, for 6-pin watertight plug sleeve casing, bag of 10 pieces										
											9011632B
	Tab connector housing										9011632B
	1, 0.5 mm, 2-pin, watertight, bag of 5 pieces										
											9021277A
	Plug sleeve casing										9021277A
	E.g. for fuel pump or extensions, watertight, bag of 5 pieces										
											9011628A
	Tab connector										9011628A
	1 ... 2.5, 0.5 mm, for watertight plug connections, with seals and plugs, bag of 2 pieces										
											9011634B
	Junior power timer										9011634B
	1 ... 1, 0.5 mm, also for blade-type plug, watertight, bag of 10 pieces										
											9023375A
	Relay (changeover contact) kit										9023375A
	12 V, 30 / 50 A, plastic case, black, with connector housing and flat fuses, contains 1 relay base and 1 tab receptacle										






Electrical Accessories

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number
	Relay (changeover contact) 12 V, 30 / 50 A, plastic case, black, protection class IP67, without mounting tab											1320947A
	Relay (changeover contact) 12 V, plastic case, grey, with included mounting tab, freewheeling diode											1319954A
	Relay (changeover contact) with freewheeling diode 24 V, protection class IP67, with mounting tab for M5 screw											1320214A
	Relay base For standard relay, without mounting tab											1320538A
	Relay base For standard relay, with mounting tab											1320540A
	IPCU module 12 V, plastic case, black, for PWM of vehicle blowers	■	■									1322640A
	IPCU kit 12 V, plastic case, black, for PWM of vehicle blowers, with IPCU module, wiring harnesses and installation instructions	■	■									9013645A
	Plug sleeve casing For 6.3 mm receptacles, 1-pin, 20 pieces											1320229A
	Tab connector housing For 6.3 mm tab connector, 1-pin, 20 pieces											9006460A







Electrical Accessories

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number
	Plug sleeve casing For 6.3 mm tab receptacles, 2-pin, 1 piece											1319698A
	Tab connector housing For 6.3 mm tab connector, 2-pin, 20 pieces											1320230A
	Plug sleeve casing For 6.3 mm tab receptacles, 4-pin, 10 pieces											1321698A
	Tab connector housing For 6.3 mm tab connector, 4-pin, 1 piece											1319699A
	Plug sleeve casing For 6.3 mm tab receptacles, 6-pin, 10 pieces											1321670A
	Tab connector housing For 6.3 mm tab connector, 6-pin, 20 pieces											1320231A
	Tab connector housing For 6.3 mm tab connector, 8-pin, 10 pieces											1321669A
	Tab receptacle For cable cross section 0.5 - 1.0 mm ²											9011636A
	For cable cross section 1.0 mm ²											9011652A
	For cable cross section 2.5 mm ²											9011641A
	6.3 mm, bag of 10 pieces											
	Tab receptacle 6.3 mm, for cable cross section 2.5 mm ² , 50 pieces											1320228A
	Tab receptacle For cable cross section 4.0 - 6.0 mm ²											9014955A
	For cable cross section 0.8 - 2.5 mm ²											9011640A
	6.3 mm, bag of 10 pieces											
	Repair kit for Thermo Top C wiring harness With 2-pin an 6-pin socket housings, flat spring contacts and single-wire seals	■	■									9011968A
	Tab connector housing For standard wiring harness, 2-pin, watertight, with flat spring contacts and single-wire seals		■									9021719A

Electrical Accessories


		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Dual Top Evo	Order number
	Programming wiring harness											1319879B
	Blocking diode											1320826A
	Resistor kit											97981A
	Adapter wiring harness											1320279A
	Thermo Top C dummy plug											1319667A
	Thermo Top C wiring harness extension											1319720A
	Plug kit											1318966A
	Kit for Thermo Pro 50 Eco plug											9029701A
	Replacement for 10-pin plug on standard wiring harness, with connection materials											
	Replacement for 2-pin plug on the standard wiring harness, with connection materials											9029702A
	Replacement for 4-pin plug on standard wiring harness, with connection materials											9029703A
	Thermo Top Evo plug kit											1319023A
	Replacement for 2- and 6-pin plugs on standard wiring harness, with connection materials											
	Extension cable control panel Air Top Standard/MC											1319724A
	L = 1,800											
	Kit Dual Top wiring harness old to new											1320837A

Test Equipment

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	PC Diagnosis Kit										1320920A
	Adapter cable, PC diagnosis										1319503A
	Adapter cable, PC diagnosis										1319943A
	Adapter cable, PC diagnosis										1319940A
	Adapter cable, PC diagnosis										1320899A
	Adapter cable, PC diagnosis										1319945A
	Adapter cable, PC diagnosis										1319685A

Special tools

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top C/E	Thermo Pro 50 Eco	Thermo Top Evo	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
Adjusting tool For ignition electrodes						■				1320998A
Locking compound 20 ml, red, for nuts and bolts	■	■	■	■	■	■	■	■	■	1320535A



Webasto subsidiaries and representatives

Head Office
Webasto Thermo & Comfort SE
Friedrichshafener Straße 9
82205 Gilching
Tel.: +49 89 85794-0
www.webasto.com

Argentina
Friba Tecnologia S.A.
Av. Pavón 4080/84
C1253AAY Buenos Aires
Tel.: (54-11) 4924-2117
www.friba.com.ar

Australia
Webasto Thermo & Comfort
Australia Pty. Ltd.
423-427 The Boulevard
NSW 2232 Kirrawee
Tel.: +61 2 85364800
www.webasto.com.au

Belarus
Falkat GmbH
Ul. Drozda 8
220004 Minsk
Tel.: +375 17 2001894
www.falkat.com

Benelux
Webasto Thermo & Comfort
Benelux B.V.
Constructieweg 47
8263 BC Kampen
Tel.: +31 38 3371137
www.webasto.nl

Brasil
Webasto Thermo & Comfort – LATAM
Av. Padre Manoel da Nóbrega,
355 – A31 – Campinas – SP
13061 – 140 – Brasil
Tel.: +55 19 9 9504 5151
www.webasto.com.br

Denmark
Webasto Thermo & Comfort
Denmark A/S
Islevdalvej 180
2610 Rødovre/Copenhagen
Tel.: +45 44522000
www.webasto.dk

Germany
Webasto Thermo & Comfort SE
Postfach 1410
82199 Gilching
Tel.: +49 (0) 395 5592-229
www.webasto.de

India
Webasto Roofsystems India Ltd.
Ghat 838/1, Pune Nagar Road
District: Sanaswadi
412208 Pune
www.webasto.com

Estonia
AS KG KNUSSON
Saeveski 12
11214 Tallinn
Tel.: +372 6 519300
www.kgk.ee

Finland
Oy Kaha AB
Ansatie 2
1740 Vantaa
Tel.: +358 9 61568379
www.kaha.fi

France
Webasto Thermo & Comfort
France S.A.S.
PA Estuaire Sud
Rue du Camp d'Aviation
44320 Saint Viaud
Tel.: +33 (0)2.40.21.85.50
www.webasto-france.fr

Greece –
via Webasto Head Office
Webasto Thermo & Comfort SE
Friedrichshafener Straße 9
82205 Gilching
Tel.: +49 89 85794-0
www.webasto.com

Great Britain
Webasto Thermo & Comfort UK Ltd.
Webasto House
White Rose Way
Doncaster
South Yorkshire DN4 5JH
Tel.: +44 (0) 1302 322232
www.webasto.co.uk

Webasto subsidiaries and representatives

Iceland
Bilasmidurinn hf.
Bíldshofda 16
110 Reykjavik
Tel.: +354 5657233
www.bilasmidurinn.is

Italy
Webasto Thermo & Comfort Italy S.r.l.
Via Efrem Nobili 2
CAP 40062 Molinella (BO)
Tel.: +39 051 6906 111
www.webasto.it

Japan
Webasto Thermo & Comfort
Japan Co., Ltd.
3-19-5 Shin-Yokohama Kohoku-ku
Yokohama, Kanagawa Prefecture
222-0033 Japan
Tel.: +81 45 4741761
www.webasto.co.jp

Kazakhstan – via Webasto Russia
Webasto Rus OOO
Altajskaja ul. 19, 1/a
107065 Moscow
Tel.: +74 95 7770245
www.webasto.ru

Latvia
SIA KG Knutsson
K. Ulmana gatve 2
1004 Riga
Tel.: +371 780 7873

Lithuania
UAB KG Knutsson
Jocioniu g 14
Vilnius, LT - 02300
Tel.: +370 2758181
www.kgk.lt

Moldavia – via Webasto Romania
Webasto Romania Trading S.R.L.
Sos Odai, nr.40
075100 Otopeni, Ilfov
Tel.: +40 21 2032751
www.webasto.ro

Mongolia
MSM Group LLC
MSM Building, Chinggis avenue – 62
Industry Zone 17070
3rd Khoroo
Khan-Uul District
CPO Box 154 Ulaanbaatar
Tel. +976 7014 8138

Netherlands
Webasto Thermo & Comfort
Benelux B.V.
Constructieweg 47
8263 BC Kampen
Tel.: +31 38 3371137
www.webasto.nl

Norway
Webasto Thermo & Comfort
Norwegen
Industriveien 34A
2072 Dal
Tel.: +47 61162000
www.webasto.no

Austria
Webasto Fahrzeugtechnik G.m.b.H.
Jochen-Rindt-Straße 19
1230 Vienna
Tel.: +43 (1) 6043780
www.webasto.at

Poland
Webasto Petemar Sp. z.o.o.
ul. Warszawska 205/219
05-092 Lomianki
Tel.: +48 22 7327320
www.webasto.pl

Romania
Webasto Romania Trading S.R.L.
Sos Odai, nr.40
075100 Otopeni, Ilfov
Tel.: +40 21 2032751
www.webasto.ro

Russia
Webasto Rus OOO
Altajskaja ul. 19, 1/a
107065 Moscow
Tel.: +74 95 7770245
www.webasto.ru

Sweden
KG Knutsson AB
Hammarbacken 8
19181 Sollentuna, Stockholm
Tel.: +46 8 923000
www.kgk.se

Switzerland
Webasto Thermo & Comfort
Schweiz AG
Hagmattstrasse 4
CH 4123 Allschwil
Tel.: +41 61 4869580
www.webasto.ch

Slovakia
Webasto Thermo & Comfort
Slovakia s.r.o.
Galgovecká ulica 3
Rozvojova 3 SK - 040 11 Košice
Tel.: +421 5 57871000
www.webasto.sk

Webasto subsidiaries and representatives

Slovenia
Webasto Thermo & Comfort
avtomobilска техника d.o.o.
Cesta v Gorice 34
1000 Ljubljana
Tel.: +386 1 2008712
www.webasto.si

Spain
Webasto Thermo & Comfort Ibérica S.L.U.
C/Mar Tirreno 33
Polígono Industrial
28830 San Fernando de Henares (Madrid)
Tel.: +34 91 626 86 11
www.webasto.es

South Korea
Webasto Korea Inc.
40 Imi-ro, Bldg. B, Suite 612
16006 Uiwang-si, Gyeonggi-do
Tel.: +82 31 80170241

Czech Republic
Webasto Thermo & Comfort
Czech Republic s.r.o.
Na Strži 1373
Praha 4
Tel.: +420 241045450-7
www.webasto.cz


USA
Webasto Thermo & Comfort
North America Inc.
15083 North Road
48430 Fenton, Michigan
Tel.: +1 810 5936100
www.webasto.us

Turkey
Webasto Thermo Comfort
Iklimlendirme Sistemleri Ltd. Sti,
Manisa Organize Sanayi Boelgesi 4. Kısım
Ahmet Nazif Zorlu Bulvari No: 8
45030 Merkez/Manisa
Tel.: +90 236 226 90 00
www.webasto.com.tr

Ukraine
Webasto Thermo & Comfort
Ukraina Tz
Chervonopraporna str. 28
03045 Kiev
Tel.: +380 (044) 503-31-76
www.webasto.com.ua

Hungary
Webasto Thermo & Comfort
Hungária Kft.
Szent László út 73
1135 Budapest
Tel.: +36 1 3502338
www.webasto.hu

- Gilching Headquarters
- Webasto Locations



For more than 75 years, the Webasto group has continued to set new technological standards – in both the original equipment sector and the aftermarket. As one of the 100 biggest suppliers in the automotive industry worldwide, we develop and produce roof, convertible as well as heating, cooling and ventilation systems. Our products help provide a better atmosphere on the road, more comfort and security, as well as increased efficiency for cars, commercial and special vehicles, motor homes and boats. An outstanding network of production facilities and dealers guarantees high-quality products, installation standards and services worldwide.